



# **Georgia State Amendments to the International Plumbing Code**

**(2018 Edition)**



Georgia Department of Community Affairs  
Community Development Division  
60 Executive Park South, N.E.  
Atlanta, Georgia 30329-2231  
(404) 679-3118  
[www.dca.ga.gov](http://www.dca.ga.gov)

**Revised January 1, 2024**

**GEORGIA STATE MINIMUM STANDARD PLUMBING CODE  
(INTERNATIONAL PLUMBING CODE WITH GEORGIA STATE AMENDMENTS)**

The **INTERNATIONAL PLUMBING CODE, 2018 Edition**, published by the International Code Council, when used in conjunction with these and any other Georgia State Amendments to the **INTERNATIONAL PLUMBING CODE, 2018 EDITION**, shall constitute the official *Georgia State Minimum Standard Plumbing Code*.

**GEORGIA STATE AMENDMENTS**

**CODE REFERENCE:**

- (a) Replace all references to the *ICC Electrical Code* with references to the *Georgia State Minimum Standard Electrical Code (National Electrical Code with Georgia State Amendments)*.
- (b) Replace all references to the *International Energy Conservation Code (IECC)* with references to the *Georgia State Minimum Standard Energy Code (IECC with Georgia State Supplements and Amendments)*. The *Georgia State Minimum Standard Energy Code* shall be used for efficiency and coefficient of performance ratings of equipment.

**APPENDICES:**

Appendices are not enforceable unless they are specifically referenced in the body of the code or adopted by the Department of Community Affairs or the authority having jurisdiction.

**CHAPTER 4  
FIXTURES, FAUCETS AND FIXTURE FITTINGS**

\*Revise Table 403.1 ‘Minimum Number of Required Plumbing Fixtures<sup>a</sup>’ by adding the following requirement under the column labeled ‘Other’ for line number ‘7’ ‘One- and two-family dwellings’ and ‘Apartment house’ descriptions:

**Table 403.1 Minimum Number of Required Plumbing Fixtures<sup>a</sup>**

Detached single-family, duplex and multi-family dwelling structures three stories or less in height shall have not less than two exterior hose bibs, sill cocks or outside hydrants with one being located on the side or rear of the structure.

(Effective January 1, 2024)

**End of Amendments.**