

W:\2024\240145\Survey\CAD\600\Drawings\240145.Boundary.dwg, 30x42 Alta, bphelts, Aug 02, 2024 - 4:50:53pm

BOUNDARY DESCRIPTION OF TOTAL TRACT

All that tract or parcel of land lying and being in Land Lots 478, 479, 480, 497, 498, 499, F-52, F-53, F-54, F-55 and F-56 of the 1st District, 1st Section, City of Johns Creek, Fulton County, Georgia and being more particularly described as follows:

Beginning at a brass disk found at the land lot corner common to Land Lots 499, F-55, F-56 and F-57; thence proceeding North 89 degrees 58 minutes 15 seconds East a distance of 369.77 feet to a 1 inch open top pipe found on a top of the northeastern bank of Chattahoochee River; thence proceeding along said top of bank of Chattahoochee River southwesterly a distance of 4,700 feet, more or less, to a point; thence leaving said top of bank of Chattahoochee River and proceeding North 00 degrees 53 minutes 17 seconds West a distance of 1152.20 feet to a 5/8 inch open top pipe found; thence South 85 degrees 35 minutes 35 seconds West a distance of 243.33 feet to a 1/2 inch rebar found; thence North 01 degrees 13 minutes 30 seconds West a distance of 74.84 feet to a 3/4 inch crimp top pipe found; thence North 87 degrees 41 minutes 08 seconds East a distance of 427.19 feet to a 1/2 inch rebar found; thence North 87 degrees 39 minutes 03 seconds East a distance of 641.73 feet to a 1/2 inch open top found; thence North 02 degrees 50 minutes 44 seconds West a distance of 29.29 feet to a 5/8 inch open top pipe found; thence North 17 degrees 11 minutes 01 seconds West a distance of 123.70 feet to a point; thence North 22 degrees 17 minutes 01 seconds West a distance of 175.40 feet to a 3/4 inch crimp top pipe found; thence North 31 degrees 22 minutes 28 seconds West a distance of 134.80 feet to a 1-1/2 inch crimp top pipe found; thence North 00 degrees 40 minutes 01 seconds East a distance of 156.69 feet to a 1-1/2 inch crimp top pipe found; thence North 09 degrees 15 minutes 23 seconds East a distance of 129.97 feet to a point; thence North 19 degrees 39 minutes 03 seconds East a distance of 96.89 feet to a 1/2 inch open top pipe found; thence North 03 degrees 29 minutes 52 seconds East a distance of 122.12 feet to a 1/2 inch rebar found; thence North 03 degrees 54 minutes 52 seconds East a distance of 88.63 feet to a 3/4 inch open top pipe found; thence North 07 degrees 35 minutes 45 seconds West a distance of 115.00 feet to a 1/2 inch rebar set; thence North 01 degrees 04 minutes 01 seconds West a distance of 94.37 feet to a 1/2 inch rebar found; thence North 00 degrees 48 minutes 44 seconds West a distance of 130.69 feet to a 1-1/2 inch crimp top pipe found; thence North 05 degrees 29 minutes 28 seconds West a distance of 22.00 feet to a 1 inch open top pipe found; thence North 06 degrees 55 minutes 06 seconds West a distance of 100.08 feet to a point; thence North 06 degrees 55 minutes 06 seconds West a distance of 41.98 feet to a 1/2 inch rebar found; thence North 03 degrees 24 minutes 33 seconds West a distance of 37.73 feet to a 1 inch open top pipe found; thence North 22 degrees 30 minutes 21 seconds West a distance of 54.99 feet to a 1-1/2 inch crimp top pipe found; thence North 39 degrees 06 minutes 28 seconds West a distance of 99.84 feet to a 1/2 inch rebar found; thence North 30 degrees 06 minutes 06 seconds West a distance of 153.48 feet to a 1/2 inch rebar found; thence North 29 degrees 41 minutes 32 seconds West a distance of 525.32 feet to a 1/2 inch rebar found; thence North 38 degrees 21 minutes 45 seconds West a distance of 173.30 feet to a 1/2 inch rebar set on the eastern right of way line of Rogers Circle (60 feet right of way width); thence proceeding along said right of way line of Rogers Circle the following courses and distances: along a curve to the left with a radius of 282.72 feet and an arc length of 91.26 feet (said curve having a chord bearing of North 13 degrees 30 minutes 53 seconds West and a chord distance of 90.86 feet) to a point and North 00 degrees 25 minutes 18 seconds East a distance of 8.74 feet to a 1/2 inch rebar set; thence leaving said right of way line of Rogers Circle and proceeding South 89 degrees 19 minutes 30 seconds East a distance of 526.16 feet to a wood fence post; thence South 77 degrees

41 minutes 31 seconds East a distance of 1964.79 feet to a 1 inch open top pipe found on the land lot line common to Land Lots 497 and 500; thence proceeding along said land lot line South 00 degrees 29 minutes 54 seconds East a distance of 624.47 feet to a 1-1/2 inch open top pipe found at the land lot corner common to Land Lots 497, 498, 499 and 500; thence proceeding along the land lot line common to Land Lot 498 and 499 South 00 degrees 45 minutes 51 seconds East a distance of 681.93 feet to a 2 inch open top pipe found; thence leaving said land lot line and proceeding North 89 degrees 29 minutes 00 seconds East a distance of 504.15 feet to a 1-1/2 inch open top pipe found; thence North 88 degrees 50 minutes 28 seconds East a distance of 825.55 feet to a 1/2 inch open top found on the land lot line common to Land Lots 499 and F-57; thence proceeding along said land lot line South 01 degrees 13 minutes 14 seconds West a distance of 652.22 feet to a brass disk found at the land lot corner common to Land Lots 499, F-55, F-56 and F-57, said point being the Point of Beginning.

Received August 6, 2024 RZ-24-0010 Planning & Zoning